LESSON 7


TOPIC 2

Spread Footing Design - Settlement


SPREAD FOOTING DESIGN Lesson 7 - Topic 2 Settlement Slide 7-2-1 SPREAD FOOTING DESIGN Settlement 1. Perform Settlement Analysis in **Cohesive and Granular Soil** 2. Name Solutions to Reduce Settlement **Amount or Time ACTIVITY: Settlement Analysis** Slide 7-2-2




Slide 7-2-3




Slide 7-2-4




Slide 7-2-5



Slide 7-2-6




Slide 7-2-7



Slide 7-2-8

Example: Determine the Settlement of the Footing



Overburden Pressure at Mid-Height of Clay Deposit:

 $P_O = (14' \times 130 \text{ pcf}) + (5' \times 65 \text{ pcf})$ $P_O = 2145 \text{ psf}$

 Change in Pressure at Mid-Height of Clay Deposit, using 2:1 Method

$$\Delta P = \frac{V}{(10+15)^2} = \frac{130,000\#}{625 \, \text{ft}^2} = 208 \, \text{psf}$$


 $Settlement: S = \frac{C_C H}{1 + e_o} log \frac{P_O + \Delta P}{P_O}$

 $S = \frac{(0.40)(10')}{1 + 0.75} \log \frac{2145 + 208}{2145} = 0.09' = 1.1 \text{ ins}$


Slide 7-2-9

 $C_{c} = 0.40$


Settlement of Granular Soil



Slide 7-2-10



Slide 7-2-11



Slide 7-2-12

Case Histories of Settlement of Spread Footings 2 in. Schmertmann D'Appolonia Hough Peck & Bazaraa Spread Spread Spread Schmertmann Spread Sp

Slide 7-2-13



Slide 7-2-14

Vertical Stress Distribution Organization Organization


Slide 7-2-15




Slide 7-2-16



Slide 7-2-17




Slide 7-2-18




Slide 7-2-19




Slide 7-2-20




Slide 7-2-21




Slide 7-2-22




Slide 7-2-23



Slide 7-2-24



Slide 7-2-25



SOILS AND FOUNDATIONS **WORKSHOP** STUDENT EXERCISE NO. 6 Footing Settlement Soil Profile and Pressure Diagram Below Given: Find Footing Settlement Using Increments of 10' 25′ Sand and Gravel Avg. N' = 40Clayey Silt 45' $C_{c} = 0.25$ $e_0 = 0.90$ (Normally Consolidated) Pressure - psf 1000 2000 3000 4000 5000 000 10 Sand Depth – ft. Gravel 460 2000 20 3630 **30** Clayey Silt 4000 40 3420